

FortisBC Inc. Okanagan Transmission Reinforcement (OTR) Project

ERRATA 5

Exhibit B-1-3, Appendix I

1. Summary Table, page 8, 4th row of the main body of the table and 4th column, second bullet add "*or PIB*" after OIB at the end of the sentence.
2. Section 4.0, page 23, last sentence, "*winter of 2007*" should read "*fall 2008*".
3. Section 6.0, page 37 "Preferred Route", first bullet "*there are no*" should read "*there are minimal*".
4. Section 6.0, page 38, last paragraph, third sentence, "*500m*" should read "*400m*".
5. Page 57, 4th row, 6th column and 5th row 6th column of the main body of the table-delete second bullet "*Protection of species at risk and wildlife habitat (lands of interest only on the OIB)*".
6. Page 62, 5th row of main body of table, add an asterisk to Landscape Visual Resources (as per item in the row above).
7. Page 77, last paragraph, third sentence, "*Gillie Creek*" should read "*Gillies Creek*".
8. Page 171, under Assessment 230 kV line, 2nd paragraph insert '*no*' before the word effect.

Exhibit B-8

1. Danninger IR No. 1, A3.6, line 6, page 19 revise 'HMZ' to 'RMZ'.
2. SOFAR/Wiltse IR No.1, response to Q14, line 16, page, delete "*directly*" and add "*which would be directly affected by construction*" after observed.